



INDICATIVE SECTIONAL VIEW

Detail B  
1:5



B


Section B-B'  
1:10





Section A-A'  
1:10

Ceramic Tile  
Batten and Counter Batten  
Ventilation Path  
Breather Membrane  
Insulation - Mineral Wool  
Insulation - Mineral Wool  
Vapour Barrier  
Internal Finish

4. Side Flashing Holding Piece



Detail A  
1:5











Ceramic Tile  
Batten and Counter Batten  
Breather Membrane  
Insulation - Mineral Wool  
Insulation - Mineral Wool  
Vapour Barrier  
Internal Finish

1. Mounting profile  
2. Integrated Thermal Collar  
3. Mounting Batten



www.keyliterateofwindows.com  
E-Mail: info@keylite.co.uk  
Tel: 028 8675 8921 Fax: 028 8675 8923  
Keylite Roof Windows Ltd. Derryloran Industrial Estate, Cookstown,  
County Tyrone, Northern Ireland BT80 9LU.

 This drawing is for informational-demonstrative purposes only  
and as such cannot constitute a basis for performance.  
All dimensions presented in this drawing should be verified on site.  
Roof constructions needs to be right with current building regulations.  
Keylite is not responsible for or the installation quality on the roof.  
Documentation only for personal use. Copying and sharing without permission is prohibited.

| Roofing Style  | Window   | Flashing   | Felt Collar   | Vapour Collar   | Horizontal Trim  | Angle   | DWG No.                   | Scale               | Format |
|--|--|--|---|---|--|---|---------------------------|---------------------|--------|
| max<br>45mm<br> | TCP<br> | TRF<br> | FC<br> | VC<br> | HT<br>100mm<br> | 20°- 90°<br> | TCP-BL-TRF<br>Rev. D 2022 | 1:5<br>1:10<br>1:20 | A3     |