keylite

Installation Instructions

keyliteConnect®
For the Smarter Home

keylite

What's in the Box

WiFi connection required

keylite®

Download the App

Q Keylite Connect

INSTALL

Wall mount assembly (**optional**)

Screw hole position template

x2

x2

8mm

1

2

keyliteConnect®

Important information

Carefully read the instructions prior to installation or operation. Ensure the fitting instructions are not disposed of immediately after the installation and always hand them over to any future user(s).

Safety

All **keylite**Connect® products are strictly for indoor use only, additionally they are not permitted to be used in damp or wet environments indoor such as bathrooms and/or wet-rooms.

If the **keylite**Connect® Hub or power supply gets wet, carefully unplug all cables without getting your hands wet and wait for the Hub and power supply to dry completely before plugging them in again. Never attempt to subsequently dry your Hub or power supply with an external heat source such as a microwave oven or a hair dryer.

Keylite recommend you only use the mains cable supplied. If the mains cable is damaged in any way, it must not be used and should be replaced immediately with an official Keylite replacement.

Note: The use of suitable alternatives is strictly prohibited.

keyliteConnect® may be used by persons over the age of eight years, who possess sufficient experience and knowledge of the system. This is on condition that they have been provided with instruction as to the safe operation and use of the system as well as demonstrating an understanding of all the associated hazards with the system and in particular regarding its miss-use.

For safety, compliance and other information regarding your **keylite**Connect® product, consult the user manual and any other information provided by the manufacturer.

Product

The Radio frequency range of the **keylite**Connect® Hub is 300m free field. Depending on the building construction the indoor range is approximately 30m. However buildings with reinforced concrete, metal ceilings and plastered walls with steel members may have an adverse effect on the range which could result in it being reduced.

Keylite recommend that field tests are conducted to ensure the Hub can operate all the products intended prior to its final fixing to any wall or subsequent other solid surface. The only way to turn off the **keylite**Connect® Hub is to disconnect the power supply. Always ensure that the power socket is easily accessible.

In some areas the disposal of certain electronic devices is regulated. Make sure you dispose of or recycle your Hub and power supply in accordance with your local laws and regulations.

keyliteConnect® packaging is 100% recyclable and should be disposed of in your recycling bin.

Maintenance

keyliteConnect® Hub requires a minimal amount of maintenance. The surface may be cleaned with a soft, damp cloth.

Disconnect the power supply from the mains electric prior to conducting any maintenance or service work to the window and products connected to it, and ensure that it cannot be reconnected unintentionally.

Spare parts are available from Keylite Roof Windows.

Interfaces

Compatible with:
iOS: **keylite**Connect® requires an iPhone, iPad or iPod Touch with iOS 12.0 or later.

Android: **keylite**Connect® requires Android Pie and higher with access to Google Play.

Additionally the **keylite**Connect® Hub requires an internet connection for control either in the home, away from the home or for automated control.

Technical Details

Brand	Keylite
Item Weight	67g
Product Dimensions	7.5 x 7.5 x 2.5cm
Item Model Number	KG4
Style	Connect Hub
Colour	White
Material	Plastic
Power Supply	100 - 240v AC
Frequency	50/60hZ
Current Consumption	0.2A
WiFi Connectivity Requirements	802.11 b/g/n (2.4GHz)
Operational Temperature	-5°C - 45°C
Power and Plug Description	Electricity, male/male plug

keylite

keylite.

♻ CE